Printing date 27.02.2013

Revision: 27.02.2013

# 1 Identification of the substance/mixture and of the company/undertaking · Product identifier · Trade name: Laemmli Buffer 1X · Article number: 20-8900-05 · Registration number Mixture · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the preparation Buffer solution · Details of the supplier of the safety data sheet Severn Biotech Ltd. Unit 2, Park Lane. Kidderminster. Worcestershire. DY11 6TJ UK Tel: 0044 1562 825286 Fax: 0044 1562 825284 email: info@severnbiotech.com · Further information obtainable from: Product safety department. • Emergency telephone number: Tel: 0044 1562 825286 (not 24 hours) **2 Hazards identification** · Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS07 Eye Irrit. 2 H319 Causes serious eye irritation. · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable. · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. · Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. · Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS07 · Signal word Warning · Hazard statements H319 Causes serious eye irritation. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection. P280

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. P337+P313

### · Additional information:

Contains 2-mercaptoethanol. May produce an allergic reaction.

(Contd. on page 2)

Printing date 27.02.2013

Revision: 27.02.2013

### Trade name: Laemmli Buffer 1X

- $\cdot$  Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### **3** Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 56-81-5 EINECS: 200-289-5	Glycerol substance with a Community workplace exposure limit	2.5-10%
CAS: 151-21-3 EINECS: 205-788-1	Sodium dodecyl sulphate     Xn R21/22;   Xi R36/38     Image: Sol. 2, H228;   Image: Sol. 2, H228;     Skin Irrit. 2, H315   Skin Irrit. 2, H315	≤ 2.5%
CAS: 60-24-2 EINECS: 200-464-6	2-mercaptoethanol	≤ 2.5%

· Additional information: For the wording of the listed risk phrases refer to section 16.

### **4** First aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

- Do not induce vomiting; call for medical help immediately.
- · Information for doctor: Treat symptomatically and supportively.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# **5** Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:
- Wear fully protective suit.

Wear self-contained respiratory protective device.

(Contd. on page 3)

GB

(Contd. of page 1)

Printing date 27.02.2013

Revision: 27.02.2013

(Contd. of page 2)

### Trade name: Laemmli Buffer 1X

Do not inhale explosion gases or combustion gases.

### **6** Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
  Ensure adequate ventilation
  Particular danger of slipping on leaked/spilled product.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water. Do not allow to penetrate the ground/soil.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles. Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:
- Keep container tightly sealed.
- Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

56-81-5 Glycerol

WEL Long-term value: 10 mg/m<sup>3</sup>

• Additional information: The lists valid during the making were used as basis.

- · Exposure controls
- · Personal protective equipment:
- Select PPE appropriate for the operations taking place taking into account the product properties.
- $\cdot$  General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Wash hands before breaks and at the end of work.
- Do not eat, drink, smoke or sniff while working.
- Do not inhale dust / smoke / mist.

(Contd. on page 4)

Printing date 27.02.2013

Revision: 27.02.2013

### Trade name: Laemmli Buffer 1X

(Contd. of page 3)

- Avoid contact with the eyes.
- Avoid close or long term contact with the skin.
- Take note of assigned Workplace Exposure Limits.
- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection:
- Safety glasses
- Goggles recommended during refilling
- · Body protection: Impervious protective clothing

Physical and chemical proper	rties	
Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Fluid	
Colour: Odour:	Blue Mild	
· Odour: · Odour threshold:	Not determined.	
Ouour unesnoia.		
· pH-value:	6.8	
· Change in condition		
Melting point/Melting range:	Undetermined.	
<b>Boiling point/Boiling range:</b>	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
· Density at 20 °C:	1.01 g/cm <sup>3</sup>	
· Relative density	Not determined.	
· Vapour density	Not determined.	

(Contd. on page 5)

GB

Printing date 27.02.2013

Revision: 27.02.2013

### Trade name: Laemmli Buffer 1X

		(Contd. of page 4)
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• Other information	No further relevant information available.	

### **10 Stability and reactivity**

· Reactivity

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available. • **Incompatible materials:** Strong acids and oxidising agents
- Hazardous decomposition products:
- Carbon monoxide and carbon dioxide Sulphur oxides (SOx)

# **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

# **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability biodegradable
- · Behaviour in environmental systems:
- · Bioaccumulative potential Product is not expected to bioaccumulate.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 6)

GB

Printing date 27.02.2013

Revision: 27.02.2013

### Trade name: Laemmli Buffer 1X

(Contd. of page 5)

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation
- Recommended Hierarchy of Controls:
- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Contact waste processors for recycling information.

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

### · European waste catalogue

Waste key numbers in accordance with the European Waste catalogue (EWC) are origin-referred defined. Since this product is used in several industries, no waste key can be provided by the supplier. The waste key number should be determined in arrangement with your waste disposal partner or the responsible authority.

· Uncleaned packaging:

### · Recommendation:

Disposal must be made according to official regulations.

Container remains hazardous when empty. Continue to observe all precuations.

Containers, even those that are "empty," may contain residues that can develop flammable vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN-Number	Void
ADR, ADN, IMDG, IATA	Void
UN proper shipping name	Void
ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	Void
ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	Void
· ADR, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
· Transport in bulk according to Ann	ex II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	-

### **15 Regulatory information**

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

Printing date 27.02.2013

Revision: 27.02.2013

# Trade name: Laemmli Buffer 1X

(Contd. of page 6)

	nformation is based on our present knowledge. However, this shall not constitute a guarantee for an c product features and shall not establish a legally valid contractual relationship.
· Releva	ant phrases
H228	Flammable solid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H371	May cause damage to organs.
H410	Very toxic to aquatic life with long lasting effects.
R21/2	2 Harmful in contact with skin and if swallowed.
R22	Harmful if swallowed.
R24	Toxic in contact with skin.
R34	Causes burns.
R36/3	8 Irritating to eyes and skin.
R51/5	3 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.