Printing date 17.06.2013 Revision: 17.06.2013

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

Trade name: <u>Severn Alco-gel</u>
Article number: 40-7500-03
Registration number

Mixture

- Ethanol: 01-2119457610-43

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the preparation Hand sanitiser/cleaner
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Severn Biotech Ltd.

Unit 2,

Park Lane,

Kidderminster,

Worcestershire.

DY11 6TJ

UK

Tel: 0044 1562 825286 Fax: 0044 1562 825284

email: info@severnbiotech.com

- Further information obtainable from: Product safety department.
- · Emergency telephone number: Tel: 0044 1562 825286 (not 24 hours)

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



F; Highly flammable

R11: Highly flammable.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS02
- · Signal word Danger
- · Hazard statements

H225 Highly flammable liquid and vapour.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

(Contd. on page 2)

Revision: 17.06.2013 Printing date 17.06.2013

Trade name: Severn Alco-gel

P403+P235 Store in a well-ventilated place. Keep cool.

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

64-17-5 Ethanol

- · Identification number(s)
- · EC number: 200-578-6
- · Index number: 603-002-00-5
- · Chemical characterization: Mixtures
- · Description: A blend of ethanol and polymer gelling agent with multifunctional additives.
- · Dangerous components:

CAS: 64-17-5 EINECS: 200-578-6

🐞 F R11 Flam. Liq. 2, H225 50-100%

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Generally the product does not irritate the skin.

If skin irritation continues, consult a doctor.

· After eve contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- · Information for doctor: Treat symptomatically and supportively.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture Flammable liquid and vapour.
- · Advice for firefighters
- · Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

· Additional information

(Contd. on page 3)

Printing date 17.06.2013 Revision: 17.06.2013

Trade name: Severn Alco-gel

(Contd. of page 2)

Be aware of possibility of re-ignition.

This product gives off flammable vapours which may form explosive mixtures with air.

Run off to sewer may cause fire or explosion hazard

Containers may explode in heat of fire. Use water to cool fire-exposed containers and to disperse vapour.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Keep ignition sources away - no smoking.

Wear protective equipment. Keep unprotected persons away.

Eliminate all sources of ignition.

Wear appropriate protective clothing.

Avoid breathing vapours.

For small spills take up with a non-combustible absorbant.

· Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Ensure adequate ventilation.

Allow to evaporate if it is safe to do so or contain and absorb using earth, sand or other inert material then transfer into suitable containers for recovery or disposal. Ventilate contaminated area thoroughly.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Keep away from heat and direct sunlight.

Do not smoke eat or drink in areas of use and storage.

- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Storage area should be cool, dry, well ventilated, out of direct sunlight and separated from oxidants and strong mineral acids.

Store in original containers.

Store away from sources of heat or ignition.

- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Printing date 17.06.2013 Revision: 17.06.2013

Trade name: Severn Alco-gel

(Contd. of page 3)

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

64-17-5 Ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

· DNELS

WORKERS

Acute / short-term exposure - local effects

Inhalation DN(M)EL

- DNEL (Derived No Effect Level): 1900 mg/m³

Long-term exposure - systemic effects

Dermal DN(M)EL

- DNEL (Derived No Effect Level): 343 mg/kg bw/day

Inhalation DN(M)EL

- DNEL (Derived No Effect Level): 950 mg/m³

GENERAL POPULATION

Acute / short-term exposure - local effects

Inhalation DN(M)EL

- DNEL (Derived No Effect Level): 950 mg/m³

Long-term exposure - systemic effects

Dermal DN(M)EL

- DNEL (Derived No Effect Level): 206 mg/kg bw/day

Inhalation DN(M)EL

- DNEL (Derived No Effect Level): 114 mg/m³

Oral DN(M)EL

- DNEL (Derived No Effect Level): 87 mg/kg bw/day

· PNECs

PNEC aqua (freshwater): 0.96 mg/L

PNEC aqua (marine water): 0.79 mg/L

PNEC aqua (intermittent releases): 2.75 mg/L

PNEC STP: 580 mg/L

PNEC sediment (freshwater): 3.6 mg/kg sediment dw

PNEC sediment (marine water): 2.9

PNEC soil: 0.63 mg/kg soil dw

PNEC oral: 0.72 g/kg food

· Additional information: The lists valid during the making were used as basis.

· Exposure controls

· Personal protective equipment:

Select PPE appropriate for the operations taking place taking into account the product properties.

· General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Take note of assigned Workplace Exposure Limits.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

- · Respiratory protection: Not required.
- · Protection of hands: Not required.
- · Material of gloves The product is intended for use on the skin.
- · Penetration time of glove material Not applicable

(Contd. on page 5)

Printing date 17.06.2013 Revision: 17.06.2013

Trade name: Severn Alco-gel

(Contd. of page 4)

· Eye protection: Not required if used for intended purpose. Otherwise wear safety glasses.

Physical and chemical proper	rties
· Information on basic physical and	
· General Information	enemiem properties
· Appearance:	
Form:	Gel
Colour:	Colourless
· Odour:	Alcohol-like
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	80 °C
· Flash point:	16 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	350 °C
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive ai
a g	vapour mixtures are possible.
· Explosion limits:	
Lower:	2.5 Vol %
Upper:	13.0 Vol %
· Vapour pressure at 20 °C:	59 hPa
· Density at 20 °C:	0.9 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Forms explosive gas mixture with air.

Reacts slowly with calcium hypochlorite, silver oxide and ammonia. This generates fire and explosion hazard. Reacts violently with strong oxidants such as nitric acid, silver nitrate, mercuric nitrate and magnesium perchlorate. This generates fire and explosion hazard.

(Contd. on page 6)

Printing date 17.06.2013 Revision: 17.06.2013

Trade name: Severn Alco-gel

(Contd. of page 5)

- · Conditions to avoid Aluminium at higher temperatures.
- · Incompatible materials: Strong acids and oxidising agents
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values relevant for classification:

64-17-5 Ethanol

Oral	LD50	>10000 mg/kg (rat)
		>10000 mg/kg (rabbit)
Inhalative	LC50/4 h	>100 mg/l (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Subacute to chronic toxicity:

Effects of long-term or repeated exposure: Etanol may have effects on the upper respiratory tract and central nervous system. This may result in irritation, headache, fatigue and lack of concentration.

Ethanol consumption during pregnancy may adversely affect the unborn child.

Chronic ingestion of ethanol may cause liver cirrhosis.

· Additional toxicological information:

Routes of exposure: The substance can be absorbed into the body by inhalation of its vapour and by ingestion. Inhalation risk: A harmful contamination of the air will be reached rather slowly on evaporation of this substance at 20 degs.C.

Effects of short-term exposure: Ethanol is mildly irritating to the eyes. Inhalation of high concentrations of the vapour may cause irritation of the eyes and respiratory tract. The substance may cause effects on the central nervous system.

12 Ecological information

- · Toxicity
- · Aquatic toxicity:

64-17-5 Ethanol

EC50 454 mg/kg (daphnia)

- · Persistence and degradability biodegradable
- · Behaviour in environmental systems:
- · Bioaccumulative potential Product is not expected to bioaccumulate.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

GE

Printing date 17.06.2013 Revision: 17.06.2013

Trade name: Severn Alco-gel

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· European waste catalogue

Waste key numbers in accordance with the European Waste catalogue (EWC) are origin-referred defined. Since this product is used in several industries, no waste key can be provided by the supplier. The waste key number should be determined in arrangement with your waste disposal partner or the responsible authority.

- · Uncleaned packaging:
- · Recommendation:

Container remains hazardous when empty. Continue to observe all precuations.

Containers, even those that are "empty," may contain residues that can develop flammable vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

Do not mix with other waste streams.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN-Number ADR, IMDG, IATA	UN1170
UN proper shipping name ADR	1170 ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION)
IMDG IATA	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) ETHANOL SOLUTION
Transport hazard class(es)	
ADR, IMDG, IATA	
Class Label	3 Flammable liquids.
Packing group ADR, IMDG, IATA	II
· · · · · · · · · · · · · · · · · · ·	
Environmental hazards: Marine pollutant:	No
Environmental hazards:	No Warning: Flammable liquids. 33 F-E,S-D

Printing date 17.06.2013 Revision: 17.06.2013

Trade name: Severn Alco-gel

	(Contd. of page 7
· Transport/Additional information:	:
· ADR	
· Limited quantities (LQ)	1L
· Transport category	2
· Tunnel restriction code	D/E
· UN "Model Regulation":	UN1170, ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

15 Regulatory information

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

R11 Highly flammable.

GB