Printing date 10.11.2023 Version number 2 Revision: 10.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: 3M Sodium Acetate Solution pH 5.2

· Article number:

20-1200-01 - 100ml 20-1200-05 - 500ml

- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU24 Scientific research and development
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture pH buffer
- · Uses advised against Processes involving extreme heat use advised against.
- · 1.3 Details of the supplier of the safety data sheet

Severn Biotech Ltd.

Unit 2,

Park Lane.

Kidderminster.

Worcestershire.

**DY11 6TJ** 

UK

Tel: 0044 1562 825286 Fax: 0044 1562 825284 email: info@severnbiotech.com

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · Description:

Aqueous solution.

The ingredients are not classified as hazardous or are below disclosure limits.

- · Dangerous components: Void
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

GB

Printing date 10.11.2023 Version number 2 Revision: 10.11.2023

Trade name: 3M Sodium Acetate Solution pH 5.2

(Contd. of page 1)

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

- · Information for doctor: Treat symptomatically and supportively.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- $\cdot$  5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Toxic metal oxide smoke

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

· Additional information Cool endangered receptacles with water spray.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- · 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

 $\cdot$  6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

(Contd. on page 3)

Printing date 10.11.2023 Version number 2 Revision: 10.11.2023

Trade name: 3M Sodium Acetate Solution pH 5.2

(Contd. of page 2)

Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs				
127-09-3 Sodium acetate				
Oral	DNEL Long-term systemic effects	6 mg/kg bw/day (general population)		
	DNEL Short-term systemic effects	36 mg/kg bw/day (general population)		
Dermal	DNEL Long-term systemic effects	6 mg/kg bw/day (general population)		
		12 mg/kg bw/day (worker)		
	DNEL Short-term systemic effects	36 mg/kg bw/day (general population)		
		72 mg/kg bw/day (worker)		
Inhalative	DNEL Long-term systemic effects	521.73 mg/m³ (general population)		
		1,057.9 mg/m³ (worker)		
	DNEL Short-term systemic effects	3,103.45 mg/m³ (general population)		
		6,347.36 mg/m³ (worker)		

#### · PNECs

127-09-3 Sodium acetate	
PNEC Freshwater	100 μg/L
PNEC Marine water	100 μg/L 10 μg/L
PNEC Sewage Treatment Plant	720 mg/L
PNEC Sediment (freshwater) PNEC Sediment (marine water)	402 ng/kg
PNEC Sediment (marine water)	40.2 ng/kg
PNEC Soil	402 ng/kg

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Do not inhale gases / fumes / aerosols.

Wash hands before breaks and at the end of work.

· **Respiratory protection:** Not necessary if room is well-ventilated.

(Contd. on page 4)

(Contd. of page 3)

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 10.11.2023 Version number 2 Revision: 10.11.2023

Trade name: 3M Sodium Acetate Solution pH 5.2

#### · Protection of hands:



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### · Body protection:



Impervious protective clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and cl	nemical properties			
· General Information	eneral Information			
· Appearance:				
Form:	Fluid			
Colour:	Clear			
· Odour: · Odour threshold:	Mild Not determined.			
· Odour threshold:	Not determined.			
· pH-value at 20 °C:	5.2			
· Change in condition				
Melting point/freezing point:	Undetermined.			
Initial boiling point and boiling range	Undetermined.			
· Flash point:	Not applicable.			
Flammability (solid, gas):	Not applicable.			
· Decomposition temperature:	Not determined.			
· Ignition temperature:	Product is not self-igniting.			
· Explosive properties:	Product does not present an explosion hazard.			
· Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
· Vapour pressure at 20 °C:	23 hPa			
· Density at 20 °C:	1.2 g/cm³			

(Contd. on page 5)

Printing date 10.11.2023 Version number 2 Revision: 10.11.2023

Trade name: 3M Sodium Acetate Solution pH 5.2

	(Contd. of p	age 4
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· 9.2 Other information	No further relevant information available.	

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Strong acids and oxidising agents
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Ethanoic acid

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

#### 127-09-3 Sodium acetate

Oral LD50 3,530 mg/kg (rat)
Dermal LD50 > 10,000 mg/kg (rabbit)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability The organic portion of the product is biodegradable.
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

Printing date 10.11.2023 Version number 2 Revision: 10.11.2023

Trade name: 3M Sodium Acetate Solution pH 5.2

(Contd. of page 5)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop hazardous gases and vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number	Void
ADR/RID/ADN, ADN, IMDG, IATA	Void
14.2 UN proper shipping name	Void
· ADR/RID/ADN, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	Void
· ADR/RID/ADN, ADN, IMDG, IATA	
· Class	Void
14.4 Packing group	Void
· ADR/RID/ADN, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex	ι II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

GB

Version number 2 Revision: 10.11.2023 Printing date 10.11.2023

Trade name: 3M Sodium Acetate Solution pH 5.2

(Contd. of page 6)

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

\* Data compared to the previous version altered.