

Page 1/9

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.04.2025 Version number 2 (replaces version 1) Revision: 30.04.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Laemmli Buffer 1X

Product Code: 20-8905-50Registration number Mixture

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC21 Laboratory chemicals
- · Application of the substance / the mixture Laboratory chemicals
- · Uses advised against Any use not specified above.
- · 1.3 Details of the supplier of the safety data sheet

· Supplier:

Severn Biotech Ltd.

Unit 2,

Park Lane,

Kidderminster,

Worcestershire.

DY11 6TJ

UK

Tel: 0044 1562 825286 Fax: 0044 1562 825284

email: info@severnbiotech.com

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to GB-CLP The product is not classified, according to the GB CLP regulation.
- · 2.2 Label elements
- · Labelling according to GB-CLP Not applicable
- · Hazard pictograms Not applicable
- · Signal word Not applicable
- · Hazard statements Not applicable
- · Additional information:

EUH210 Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)



Page 2/9

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.04.2025 Version number 2 (replaces version 1) Revision: 30.04.2025

Trade name: Laemmli Buffer 1X

(Contd. of page 1)

· Dangerous components:		
CAS: 56-81-5	Glycerol	10 - 25%
EINECS: 200-289-5	substance with a Community workplace exposure limit	
Reg.nr.: 01-2119471987-18-XXXX		
CAS: 151-21-3	Sodium dodecyl sulphate	2.5 - < 10%
EINECS: 205-788-1	Eye Dam. 1, H318; <b>(1)</b> Acute Tox. 4, H302; Skin Irrit. 2,	
Reg.nr.: 01-2119489461-32-XXXX		
	Specific concentration limits: Eye Dam. 1; H318: C ≥ 20 %	
	Eye Irrit. 2; H319: 10 % ≤ C < 20	
	%	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Information for doctor: Treat symptomatically and supportively.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Sulphur Oxides (SOx)

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

· Additional information

Cool endangered receptacles with water spray.

(Contd. on page 3)



Page 3/9

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.04.2025 Version number 2 (replaces version 1) Revision: 30.04.2025

Trade name: Laemmli Buffer 1X

(Contd. of page 2)

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### **SECTION 6: Accidental release measures**

### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

### · 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

#### · 6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Ensure adequate ventilation.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- $\cdot$  Further information about storage conditions: Store at -20  $\square$
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:		
CAS: 56-8	31-5 Glycerol	
WEL Lon	g-term value: 10 mg/m³	
· DNELs		
CAS: 151-21-3 Sodium dodecyl sulphate		
Oral	Long-term systemic effects	24 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	2,440 mg/kg bw/day (general population)
		4,060 mg/kg bw/day (worker)

(Contd. on page 4)



Page 4/9

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.04.2025 Version number 2 (replaces version 1) Revision: 30.04.2025

Trade name: Laemmli Buffer 1X

	1 00		(Contd. of page 3
Inhalative Long-term	systemic effects	85 mg/m³ (general population)	
		285 mg/m³ (worker)	
· PNECs			
CAS: 151-21-3 Sodiu	um dodecyl sulpl	nate	
Freshwater	176	μg/L	
Freshwater - Intermitt	tent releases 55 µ	ıg/L	
Marine water	17.6	μg/L	
Sewage Treatment Pla	ant 1.35	mg/L	
Sediment (freshwater)	) 6.97	mg/kg	
Sediment (marine wat	ter) 697	μg/kg	
Soil 1.29 mg/kg			

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

A safe system of work must be formulated and followed to ensure safe working with this product. Relevant workers must receive suitable and sufficient training and supervision.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

Take note of assigned Workplace Exposure Limits.

- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- · Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

Break-through time: > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye/face protection



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

(Contd. on page 5)



Page 5/9

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Version number 2 (replaces version 1) Revision: 30.04.2025 Printing date 30.04.2025

Trade name: Laemmli Buffer 1X

(Contd. of page 4)

· Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

· Environmental exposure controls Do not allow to enter drains, sewers or watercourses.

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Liquid · Colour: Blue

· Odour: Characteristic · Odour threshold: Not determined. < -30 °C · Melting point/freezing point:

· Boiling point or initial boiling point and boiling range 100 °C

Not applicable. · Flammability

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: > 100 °C · Decomposition temperature: Not determined.

· pH at 20 °C 6.8

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

· Solubility

Fully miscible. · water: · Partition coefficient n-octanol/water (log value) Not determined. Not determined.

· Vapour pressure:

· Density and/or relative density · Density at 20 °C: 1.01 g/cm<sup>3</sup> · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance:

Fluid · Form:

· Important information on protection of health and environment, and on safety.

· Ignition temperature: Product is not self-igniting.

· Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· VOC (EC) 0.00 %

· Change in condition

Not determined. · Evaporation rate

Information with regard to physical hazard classes

· Explosives Not applicable

(Contd. on page 6)



Page 6/9

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.04.2025 Version number 2 (replaces version 1) Revision: 30.04.2025

Trade name: Laemmli Buffer 1X

(Contd. of page 5)

	(Conta. of page	ge 3)
· Flammable gases	Not applicable	
· Aerosols	Not applicable	
· Oxidising gases	Not applicable	
· Gases under pressure	Not applicable	
· Flammable liquids	Not applicable	
· Flammable solids	Not applicable	
· Self-reactive substances and mixtures	Not applicable	
· Pyrophoric liquids	Not applicable	
· Pyrophoric solids	Not applicable	
· Self-heating substances and mixtures	Not applicable	
· Substances and mixtures, which emit flammabl	le gases	
in contact with water	Not applicable	
· Oxidising liquids	Not applicable	
· Oxidising solids	Not applicable	
· Organic peroxides	Not applicable	
· Corrosive to metals	Not applicable	
· Desensitised explosives	Not applicable	

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions Reacts violently with oxidising agents.
- · 10.4 Conditions to avoid Heat and static discharge.
- · 10.5 Incompatible materials: Strong acids and oxidising agents
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Sulphur oxides (SOx)

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
ATE (Acu	ite Toxicit	y Estimates)	
Oral	LD50	30,000 mg/kg (rat)	
CAS: 56-8	31-5 Glyce	rol	
Oral	LD50	> 20,000 mg/kg (rat)	
Dermal	LD50	> 10,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	> 2.75 mg/l (rat)	
CAS: 151	CAS: 151-21-3 Sodium dodecyl sulphate		
Oral	LD50	1,200 mg/kg (rat)	
Dermal	LD50	> 2,000 mg/kg (rabbit)	
		(Contd. on page 7)	

(Contd. on page 7)



Page 7/9

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.04.2025 Version number 2 (replaces version 1) Revision: 30.04.2025

Trade name: Laemmli Buffer 1X

(Contd. of page 6)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients are listed.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

CAS: 56-81-5 Glycerol

EC50 (96 h) > 10,000 mg/l (Bacteria)

CAS: 151-21-3 Sodium dodecyl sulphate

EC50 (72 h) 53 – 120 mg/l (aquatic algae and cyanobacteria)

- · 12.2 Persistence and degradability biodegradable
- · 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

(Contd. on page 8)



Page 8/9

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.04.2025 Version number 2 (replaces version 1) Revision: 30.04.2025

Trade name: Laemmli Buffer 1X

(Contd. of page 7)

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

## **SECTION 14: Transport information**

· 14.1 UN number or ID number · ADR/RID/ADN, ADN, IMDG, IATA	Void Not applicable
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Void Not applicable
· 14.3 Transport hazard class(es)	Void
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Not applicable
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void Not applicable
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Maritime transport in bulk according to IMO instruments  Not applicable.	
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN ''Model Regulation'':	Not applicable

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- $\cdot \ Regulated \ explosives \ precursors$

None of the ingredients are listed.

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

None of the ingredients are listed.

(Contd. on page 9)



Page 9/9

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.04.2025 Version number 2 (replaces version 1) Revision: 30.04.2025

Trade name: Laemmli Buffer 1X

(Contd. of page 8)

- · Control Of Major Accident Hazards Regulations 2015 (COMAH)
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### · Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: Product safety department.

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.

GB