

Page 1/9

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 16.04.2025

Version number 2 (replaces version 1)

Revision: 16.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Sodium Acetate
- · Product Code: 40-5012-60
- · CAS Number:
- 127-09-3
- · EC number:
- 204-823-8
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- **Product category** PC21 Laboratory chemicals
- · Application of the substance / the mixture Laboratory chemicals
- · Uses advised against

Any use involving significant release of aerosol, vapour or dust in the breathing zone of workers where they are exposed without suitable respiratory protective equipment (RPE). Processes involving extreme heat use advised against.

· 1.3 Details of the supplier of the safety data sheet

· Supplier:

Severn Biotech Ltd. Unit 2, Park Lane, Kidderminster, Worcestershire. DY11 6TJ UK Tel: 0044 1562 825286 Fax: 0044 1562 825284 email: info@severnbiotech.com

• Further information obtainable from: Product safety department.

• **1.4 Emergency telephone number:** Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to GB-CLP The substance is not classified, according to the GB CLP regulation.

- · Labelling according to GB-CLP Not applicable
- · Hazard pictograms Not applicable
- · Signal word Not applicable
- · Hazard statements Not applicable
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)

GB

^{· 2.2} Label elements



Page 2/9

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 16.04.2025

Version number 2 (replaces version 1)

Revision: 16.04.2025

Trade name: Sodium Acetate

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description
- CAS: 127-09-3 Sodium acetate
- · Identification number(s)
- EC number: 204-823-8

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately rinse with water.
- If skin irritation continues, consult a doctor.
- · After eye contact:
- Check for and remove any contact lenses.
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing:
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- · Information for doctor: Treat symptomatically and supportively.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Use fire extinguishing methods suitable to surrounding conditions.
- \cdot For safety reasons unsuitable extinguishing agents: Water with full jet

\cdot 5.2 Special hazards arising from the substance or mixture

As with most organic solids, fire is possible at elevated temperatures or by contact with an ignition source.

Fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

In case of fire, the following can be released:

- Carbon monoxide (CO)
- Toxic metal oxide smoke
- · 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases. Wear fully protective suit.

· Additional information

Soluble in water.

Cool endangered receptacles with water spray.



Page 3/9

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 16.04.2025

Version number 2 (replaces version 1)

Revision: 16.04.2025

(Contd. of page 2)

Trade name: Sodium Acetate

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- \cdot 6.1 Personal precautions, protective equipment and emergency procedures Avoid formation of dust.
- · 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course in the undiluted form.
- 6.3 Methods and material for containment and cleaning up:
- Pick up mechanically.
- Send for recovery or disposal in suitable receptacles.
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust.

- · Information about fire and explosion protection:
- There is a risk of a dust explosion if the following conditions are met:
- The substance is present in very finely distributed form (powder, dust).
- The substance is whirled up in sufficient quantity in the air.
- An ignition source is present (flame, spark, electrostatic discharge, etc.)

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility:
- Store away from oxidising agents.
- Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- Storage class: 11
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace: Not required.

· DNELs					
CAS: 127-09-3 Sodium acetate					
Oral	Long-term systemic effects	6 mg/kg bw/day (general population)			
	Short-term systemic effects	36 mg/kg bw/day (general population)			
Dermal	Long-term systemic effects	6 mg/kg bw/day (general population)			
		12 mg/kg bw/day (worker)			
	Short-term systemic effects	36 mg/kg bw/day (general population)			
		72 mg/kg bw/day (worker)			
		(Contd. on page 4)			



Page 4/9

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 16.04.2025

Version number 2 (replaces version 1)

Revision: 16.04.2025

Trade name: Sodium Acetate

				(Contd. of page 3)
Inhalative	Long-term sys	temic effects	521.73 mg/m ³ (general population)	
			1,057.9 mg/m ³ (worker)	
	Short-term sys	stemic effects	3,103.45 mg/m ³ (general population)	
			6,347.36 mg/m ³ (worker)	
· PNECs	· PNECs			
CAS: 127-	CAS: 127-09-3 Sodium acetate			
Freshwater	Freshwater 100 µg/			
Marine wa	Marine water			
Sewage Tr	Sewage Treatment Plant			
Sediment (freshwater) 402 ng/kg		402 ng/kg		
Sediment (marine water) 40.2 ng/k		40.2 ng/kg		
Soil 402 ng/kg		6.6		

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Do not breathe dust

Wash hands before breaks and at the end of work.

· Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

- Filter P2
- · Hand protection



For prolonged contact, use protective gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

Break-through time: > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye/face protection



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).



Page 5/9

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 16.04.2025

Version number 2 (replaces version 1)

Revision: 16.04.2025

Trade name: Sodium Acetate

· Body protection:

Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

· Environmental exposure controls Do not allow to enter drains, sewers or watercourses.

SECTION 9: Physical and chemical properties				
• 9.1 Information on basic physical and chemical pro	nerties			
· General Information				
· Physical state	Solid			
· Colour:	Colourless			
· Odour:	Nearly odourless			
· Odour threshold:	Not determined.			
· Melting point/freezing point:	324 °C			
• Boiling point or initial boiling point and boiling ran	ge Undetermined.			
· Flammability	Product is not flammable.			
· Lower and upper explosion limit				
· Lower:	Not determined.			
· Upper:	Not determined.			
· Flash point:	Not applicable.			
· Decomposition temperature:	Not determined.			
· pH	7.5 - 9 (5%)			
· Viscosity:				
· Kinematic viscosity	Not applicable.			
· Dynamic:	Not applicable.			
· Solubility				
· water:	Soluble.			
· Partition coefficient n-octanol/water (log value)	Not determined.			
· Vapour pressure:	Not applicable.			
· Density and/or relative density				
· Density at 20 °C:	1.53 g/cm ³			
· Relative density	Not determined.			
· Bulk density:	520 kg/m ³			
· Vapour density	Not applicable.			
x v				
• 9.2 Other information				
· Appearance:				
· Form:	Crystalline powder			
Important information on protection of health a	nd			
environment, and on safety.				
Ignition temperature:	Not determined.			
Explosive properties:	Product does not present an explosion hazard.			
· Solids content:				
· Molecular weight	82.03 g/mol			
Change in condition	NY			
· Evaporation rate	Not applicable.			
	(Contd. on page 6			





Page 6/9

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 16.04.2025

Version number 2 (replaces version 1)

Revision: 16.04.2025

(Contd. of page 5)

Trade name: Sodium Acetate

asses	
Not applicable	
11	
11	
Self-heating substances and mixtures Not applicable Substances and mixtures, which emit flammable gases	
11	
11	
	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- There is a risk of a dust explosion if the following conditions are met:
- The substance is given in very finely distributed form (powder, dust).
- The substance is whirled up in sufficient quantity in the air.
- An ignition source is present (flame, spark, electrostatic discharge, etc.)
- · 10.3 Possibility of hazardous reactions Reacts with oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Strong oxidising agents.
- · 10.6 Hazardous decomposition products:
- Carbon monoxide and carbon dioxide
- Toxic metal oxide smoke

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 127-09-3 Sodium acetate

Oral LD50 3,530 mg/kg (rat)

Dermal LD50 > 10,000 mg/kg (rabbit)

· Primary irritant effect:

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.



Page 7/9

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 16.04.2025

Version number 2 (replaces version 1)

Revision: 16.04.2025

(Contd. of page 6)

Trade name: Sodium Acetate

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- · 11.2 Information on other hazards

· Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Readily biodegradable
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or

- Safe disposal (if all else fails).

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.



Page 8/9

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 16.04.2025

Version number 2 (replaces version 1)

Revision: 16.04.2025

(Contd. of page 7)

Trade name: Sodium Acetate

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	on	
 14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA 	Not applicable	
 · 14.2 UN proper shipping name · ADR/RID/ADN, IMDG, IATA 	Not applicable	
· 14.3 Transport hazard class(es)		
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Not applicable	
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Not applicable	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according instruments	to IMO Not applicable.	
· UN "Model Regulation":	Not applicable	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act

· Regulated explosives precursors	
Substance is not listed.	
Regulated poisons	
Substance is not listed.	
Reportable explosives precursors	
Substance is not listed.	
· Reportable poisons	
Substance is not listed.	

· Control Of Major Accident Hazards Regulations 2015 (COMAH)

- · Named dangerous substances ANNEX I Substance is not listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is supplied on a voluntary basis.

• Department issuing SDS: Product safety department.



Page 9/9

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 16.04.2025

Version number 2 (replaces version 1)

Revision: 16.04.2025

Trade name: Sodium Acetate

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

• * Data compared to the previous version altered.

(Contd. of page 8)

GB -