

## Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 17.04.2025

Version number 4 (replaces version 3)

Revision: 17.04.2025

### \* SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Triton x-100
- **Product Code:** 40-2055-05
- **CAS Number:**  
9002-93-1
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Product category** PC21 Laboratory chemicals
- **Application of the substance / the mixture** Laboratory chemicals
- **Uses advised against** Any use not specified above.
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**  
Severn Biotech Ltd.  
Unit 2,  
Park Lane,  
Kidderminster,  
Worcestershire.  
DY11 6TJ  
UK  
Tel: 0044 1562 825286  
Fax: 0044 1562 825284  
email: info@severnbiotech.com
- **Further information obtainable from:** Product safety department.
- **1.4 Emergency telephone number:**  
Members of the public seeking specific information on poisons should contact:  
In England and Wales: NHS 111 - dial 111  
In Scotland: NHS 24 - dial 111

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to GB-CLP**  
Acute Tox. 4      H302 Harmful if swallowed.  
Skin Irrit. 2      H315 Causes skin irritation.  
Eye Dam. 1      H318 Causes serious eye damage.  
Aquatic Chronic 2      H411 Toxic to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to GB-CLP** The substance is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



- **Signal word** Danger
- **Hazard statements**  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 17.04.2025

Version number 4 (replaces version 3)

Revision: 17.04.2025

**Trade name: Triton x-100**

(Contd. of page 1)

#### · Precautionary statements

- P280 Wear protective gloves / eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P330 Rinse mouth.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P501 Dispose of contents/container in accordance with local regulations.

#### · The Detergents (Amendment) (EU Exit) Regulations 2020 / Labelling for contents

non-ionic surfactants	≥30%
-----------------------	------

#### · 2.3 Other hazards

#### · Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

#### · 3.1 Substances

##### · CAS No. Description

CAS: 9002-93-1 Polyethylene glycol octylphenol ether

##### · Identification number(s)

##### · SVHC

CAS: 9002-93-1	Polyethylene glycol octylphenol ether
----------------	---------------------------------------

### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

- **General information:** Immediately remove any clothing soiled by the product.

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.

##### · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

##### · After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

##### · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

- **Information for doctor:** Treat symptomatically and supportively.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

GB

(Contd. on page 3)

## Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 17.04.2025

Version number 4 (replaces version 3)

Revision: 17.04.2025

**Trade name: Triton x-100**

(Contd. of page 2)

### \* SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon monoxide and carbon dioxide
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Do not inhale explosion gases or combustion gases.  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information**  
Cool endangered receptacles with water spray.  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

### \* SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Particular danger of slipping on leaked/spilled product.  
Ensure adequate ventilation  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**  
Do not allow to enter sewers/ surface or ground water.  
Do not allow to penetrate the ground/soil.  
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:**  
Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Prevent formation of aerosols.  
Ensure good ventilation/exhaustion at the workplace.  
Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.  
Safety showers and eye wash facilities should be available at the work area.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.
- **Information about storage in one common storage facility:** Store away from oxidising agents.

(Contd. on page 4)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 17.04.2025

Version number 4 (replaces version 3)

Revision: 17.04.2025

**Trade name: Triton x-100**

(Contd. of page 3)

- **Further information about storage conditions:**
  - Store in a bunded area.
  - Store in cool, dry conditions in well sealed receptacles.
- **Storage class:** 12
- **7.3 Specific end use(s)** No further relevant information available.

## \* SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
  - The usual precautionary measures are to be adhered to when handling chemicals.
  - Wash hands before breaks and at the end of work.
  - Do not inhale gases / fumes / aerosols.
  - Avoid contact with the eyes and skin.
  - Do not eat, drink, smoke or sniff while working.
  - Ensure that eyewash stations and safety showers are close to the workstation location.
- **Respiratory protection:**
  - Use suitable respiratory protective device in case of insufficient ventilation.
  - Filter A for organic vapours
- **Hand protection**



- Protective gloves.
- Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
  - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
  - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection**



- Safety glasses with side-shields conforming to EN166.
- Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

- **Body protection:**



- Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

- **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

(Contd. on page 5)

## Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 17.04.2025

Version number 4 (replaces version 3)

Revision: 17.04.2025

Trade name: Triton x-100

(Contd. of page 4)

· **Risk management measures** The operators shall be instructed adequately.

### \* SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

· Physical state	Liquid
· Colour:	Light yellow
· Odour:	Mild
· Odour threshold:	Not determined.
· Melting point/freezing point:	6 °C
· Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	>100 °C
· Decomposition temperature:	Not determined.
· pH	9.7
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	1.07 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.

#### · 9.2 Other information

· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined.

#### · Information with regard to physical hazard classes

· Explosives	Not applicable
· Flammable gases	Not applicable
· Aerosols	Not applicable
· Oxidising gases	Not applicable
· Gases under pressure	Not applicable
· Flammable liquids	Not applicable
· Flammable solids	Not applicable
· Self-reactive substances and mixtures	Not applicable
· Pyrophoric liquids	Not applicable
· Pyrophoric solids	Not applicable

(Contd. on page 6)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 17.04.2025

Version number 4 (replaces version 3)

Revision: 17.04.2025

**Trade name: Triton x-100**

(Contd. of page 5)

- |  |                |
|--|----------------|
| · <b>Self-heating substances and mixtures</b>                                      | Not applicable |
| · <b>Substances and mixtures, which emit flammable gases in contact with water</b> | Not applicable |
| · <b>Oxidising liquids</b>   | Not applicable |
| · <b>Oxidising solids</b>  | Not applicable |
| · <b>Organic peroxides</b>   | Not applicable |
| · <b>Corrosive to metals</b>   | Not applicable |
| · <b>Desensitised explosives</b>   | Not applicable |

#### \* SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with oxidising agents.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:** Strong oxidising agents.
- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

#### \* SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**  
Harmful if swallowed.

##### · **LD/LC50 values relevant for classification:**

Oral	LD50	1,800 mg/kg (rat)
Dermal	LD50	> 5,000 mg/kg (rabbit)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties** List I

GB

(Contd. on page 7)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 17.04.2025

Version number 4 (replaces version 3)

Revision: 17.04.2025

**Trade name: Triton x-100**

(Contd. of page 6)

#### \* SECTION 12: Ecological information

##### · 12.1 Toxicity

##### · Aquatic toxicity:

EC50 (96 h) 26 mg/l (Bacteria)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.

#### SECTION 13: Disposal considerations

##### · 13.1 Waste treatment methods

##### · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

##### · Uncleaned packaging:

##### · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

#### \* SECTION 14: Transport information

##### · 14.1 UN number or ID number

· ADR/RID/ADN, IMDG, IATA

UN3082

(Contd. on page 8)

— GB —

## Safety data sheet

according to UK REACH (SI 2020/1577) as amended





Printing date 17.04.2025

Version number 4 (replaces version 3)

Revision: 17.04.2025

**Trade name: Triton x-100**

(Contd. of page 7)

<ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR/RID/ADN</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul>	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Polyethylene glycol octylphenol ether) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Polyethylene glycol octylphenol ether), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Polyethylene glycol octylphenol ether)
<ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>ADR/RID/ADN</b></li> </ul>   <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	9 (M6) Miscellaneous dangerous substances and articles. 9
<ul style="list-style-type: none"> <li>· <b>IMDG, IATA</b></li> </ul>   <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	9 Miscellaneous dangerous substances and articles. 9
<ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· <b>ADR/RID/ADN, IMDG, IATA</b></li> </ul>	III
<ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> <li>· <b>Special marking (ADR/RID/ADN):</b></li> <li>· <b>Special marking (IATA):</b></li> </ul>	Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
<ul style="list-style-type: none"> <li>· <b>14.6 Special precautions for user</b></li> <li>· <b>Hazard identification number (Kemler code):</b></li> <li>· <b>Hazchem Code:</b></li> <li>· <b>EMS Number:</b></li> <li>· <b>Stowage Category</b></li> </ul>	Warning: Miscellaneous dangerous substances and articles. 90 •3Z F-A,S-F A
<ul style="list-style-type: none"> <li>· <b>14.7 Maritime transport in bulk according to IMO instruments</b></li> </ul>	Not applicable.
<ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> </ul>	Amounts up to 5kg or 5L per single or inner package are not regulated according to ADR/RID SP 375, IMDG 2.10.2.7 and IATA SP A197.
<ul style="list-style-type: none"> <li>· <b>ADR/RID/ADN</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 9)



## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 17.04.2025

Version number 4 (replaces version 3)

Revision: 17.04.2025

**Trade name: Triton x-100**

(Contd. of page 8)

· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	(-)
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (POLYETHYLENE GLYCOL OCTYLPHENOL ETHER), 9, III

## SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**
- **Regulated explosives precursors** Substance is not listed.
- **Regulated poisons** Substance is not listed.
- **Reportable explosives precursors** Substance is not listed.
- **Reportable poisons** Substance is not listed.
- **Control Of Major Accident Hazards Regulations 2015 (COMAH)**
- **Named dangerous substances - ANNEX I** Substance is not listed.
- **COMAH category** E2
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV)** Sunset date: 2021-01-04
- **National regulations:**

### Substances of very high concern (SVHC) according to UK REACH

CAS: 9002-93-1 Polyethylene glycol octylphenol ether

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

### Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

- **Department issuing SDS:** Product safety department.

### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

(Contd. on page 10)

**Safety data sheet**  
**according to UK REACH (SI 2020/1577) as amended**

Printing date 17.04.2025

Version number 4 (replaces version 3)

Revision: 17.04.2025

---

**Trade name: Triton x-100**

---

(Contd. of page 9)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

. \* **Data compared to the previous version altered.**

---

GB

---