

Page 1/8

# Safety Data Sheet according to UK REACH (SI 2020/1577) as amended

Printing date 02.07.2025

Version number 3 (replaces version 2)

Revision: 02.07.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: 50X TAE
- · Product Code: 20-6001-10, 20-6001-50
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Product category PC21 Laboratory chemicals
- $\cdot$  Application of the substance / the mixture Laboratory reagent
- $\cdot$  Uses advised against

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

The product is strictly intended for industrial or professional use only.

#### $\cdot$ 1.3 Details of the supplier of the safety data sheet

Supplier:
Severn Biotech Ltd.
Unit 2,
Park Lane,
Kidderminster,
Worcestershire.
DY11 6TJ
UK
Tel: 0044 1562 825286
Fax: 0044 1562 825284
email: info@severnbiotech.com

· Further information obtainable from: Product safety department.

#### • 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

# **SECTION 2: Hazards identification**

## $\cdot$ 2.1 Classification of the substance or mixture

- · Classification according to GB-CLP The product is not classified, according to the GB CLP regulation.
- · 2.2 Label elements
- · Labelling according to GB-CLP Not applicable
- · Hazard pictograms Not applicable
- · Signal word Not applicable
- Hazard statements Not applicable
- · Additional information:
- EUH210 Safety data sheet available on request.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

 $\cdot$  **Description:** An aqueous solution of the substances listed below with multifunctional additives.



Page 2/8

# Safety Data Sheet according to UK REACH (SI 2020/1577) as amended

Printing date 02.07.2025

Version number 3 (replaces version 2)

Revision: 02.07.2025

#### Trade name: 50X TAE

	(	(Contd. of page	
Dangerous components:			
CAS: 64-19-7	Acetic acid	2.5 - < 104	
EINECS: 200-580-7	🛞 Flam. Liq. 3, H226; 🔗 Skin Corr. 1A, H314		
Index number: 607-002-00-6	Note: B		
Reg.nr.: 01-2119475328-30-XXXX	Specific concentration limits: Skin Corr. 1A; H314: C ≥ 90 %		
	Skin Corr. 1B; H314: 25 % ≤ C <		
	90 %		
	Skin Irrit. 2; H315: 10 % ≤ C < 25		
	%		
	Eye Irrit. 2; H319: 10 % ≤ C < 25		
	%		
	Met. Corr.1; H290: C ≥ 10 %		
CAS: 60-00-4	EDTA acid	1 - 2.5%	
EINECS: 200-449-4	(1) Eye Irrit. 2, H319		
Index number: 607-429-00-8			
Reg.nr.: 01-2119486399-18-XXXX			
Additional information: For the wo	ording of the listed hazard phrases refer to section 16.		

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

· Information for doctor: Treat symptomatically and supportively.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- $\cdot$  For safety reasons unsuitable extinguishing agents: Water with full jet
- $\cdot$  5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)



Page 3/8

# Safety Data Sheet according to UK REACH (SI 2020/1577) as amended

Printing date 02.07.2025

Version number 3 (replaces version 2)

Revision: 02.07.2025

## Trade name: 50X TAE

· 5.3 Advice for firefighters

#### · Protective equipment:

Do not inhale explosion gases or combustion gases. Wear self-contained respiratory protective device. Wear fully protective suit.

#### • Additional information Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

## **SECTION 6: Accidental release measures**

#### • 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

• 6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection: No special measures required.

#### · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from frost.
- Storage class: 12
- 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

# $\cdot$ Ingredients with limit values that require monitoring at the workplace:

# CAS: 64-19-7 Acetic acid

WEL Short-term value: 50 mg/m<sup>3</sup>, 20 ppm

Long-term value: 25 mg/m<sup>3</sup>, 10 ppm

(Contd. of page 2)



Page 4/8

# Safety Data Sheet according to UK REACH (SI 2020/1577) as amended

Printing date 02.07.2025

Version number 3 (replaces version 2)

Revision: 02.07.2025

(Contd. of page 3)

## Trade name: 50X TAE

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals. Take note of assigned Workplace Exposure Limits. Avoid contact with the eyes and skin.
- Do not eat, drink, smoke or sniff while working.
- Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

- Filter A for organic vapours
- · Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

# · Material of gloves

## Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

Break-through time: > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye/face protection



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### · Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure. • Environmental exposure controls Do not allow to enter drains, sewers or watercourses.

* SECTION 9: Physical and cl	SECTION 9: Physical and chemical properties		
• 9.1 Information on basic physical a • General Information	and chemical properties		
· Physical state	Liquid		
· Colour:	Clear		
· Odour:	Mild		
		(Contd. on page 5)	



Page 5/8

# Safety Data Sheet according to UK REACH (SI 2020/1577) as amended

Printing date 02.07.2025

Version number 3 (replaces version 2)

Revision: 02.07.2025

## Trade name: 50X TAE

	(Contd. of page
Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling ran	nge Undetermined.
· Flammability	Not determined.
· Lower and upper explosion limit	
Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
• Decomposition temperature:	Not determined.
· pH at 20 °C	8 (2%)
· Viscosity:	
· Kinematic viscosity	Not applicable.
	Not determined.
· Dynamic:	Not applicable.
	Not determined.
· Solubility	
water:	Fully miscible.
• Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not applicable.
	Not determined.
• Density and/or relative density	
• Density at 20 °C:	1.05 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not applicable.
9.2 Other information	NOTE: The physical data presented above are typica
	values and should not be construed as a specification.
Appearance:	
Form:	Fluid
Important information on protection of health a	ind
environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
• Explosive properties:	Due deset do se wat was sent an analysis a barand
	Product does not present an explosion hazard.
Solvent content:	
· VOC (EC)	5.71 %
• VOC (EC) • Change in condition	5.71 %
· VOC (EC)	
· VOC (EC) · Change in condition · Evaporation rate	5.71 % Not applicable.
• VOC (EC) • Change in condition • Evaporation rate • Information with regard to physical hazard classes	5.71 % Not applicable.
<ul> <li>VOC (EC)</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> </ul>	5.71 % Not applicable.
• VOC (EC) • Change in condition • Evaporation rate • Information with regard to physical hazard classes	5.71 % Not applicable Not applicable Not applicable
<ul> <li>VOC (EC)</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> </ul>	5.71 % Not applicable Not applicable Not applicable Not applicable
<ul> <li>VOC (EC)</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> </ul>	5.71 % Not applicable Not applicable Not applicable Not applicable Not applicable
<ul> <li>VOC (EC)</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> </ul>	5.71 % Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
<ul> <li>VOC (EC)</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> </ul>	5.71 % Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
<ul> <li>VOC (EC)</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> </ul>	5.71 % Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
<ul> <li>VOC (EC)</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> </ul>	5.71 % Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
<ul> <li>VOC (EC)</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric liquids</li> </ul>	5.71 % Not applicable Not applicable
<ul> <li>VOC (EC)</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric liquids</li> <li>Pyrophoric solids</li> </ul>	5.71 % Not applicable Not applicable
<ul> <li>VOC (EC)</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric liquids</li> <li>Self-heating substances and mixtures</li> </ul>	5.71 % Not applicable Not applicable
<ul> <li>VOC (EC)</li> <li>Change in condition</li> <li>Evaporation rate</li> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> <li>Flammable gases</li> <li>Aerosols</li> <li>Oxidising gases</li> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric liquids</li> <li>Pyrophoric solids</li> </ul>	5.71 % Not applicable Not applicable



Page 6/8

# Safety Data Sheet according to UK REACH (SI 2020/1577) as amended

Printing date 02.07.2025

Version number 3 (replaces version 2)

Revision: 02.07.2025

## Trade name: 50X TAE

	(Cont	d. of page 5)
· Oxidising solids	Not applicable	
· Organic peroxides	Not applicable	
· Corrosive to metals	Not applicable	
· Desensitised explosives	Not applicable	

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with oxidising agents.
- 10.4 Conditions to avoid Heat and static discharge.
- 10.5 Incompatible materials: Strong oxidising agents.
- **10.6 Hazardous decomposition products:** Nitrogen oxides (NOx) Carbon monoxide and carbon dioxide

# **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- · 11.2 Information on other hazards

#### · Endocrine disrupting properties

None of the ingredients are listed.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability The organic portion of the product is biodegradable.
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

<sup>• 12.6</sup> Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. (Contd. on page 7)



Page 7/8

# Safety Data Sheet according to UK REACH (SI 2020/1577) as amended

Printing date 02.07.2025

Version number 3 (replaces version 2)

Revision: 02.07.2025

## Trade name: 50X TAE

(Contd. of page 6)

## · 12.7 Other adverse effects

# $\cdot$ Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# **SECTION 13: Disposal considerations**

# · 13.1 Waste treatment methods

#### · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

#### · Uncleaned packaging:

#### · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop hazardous gases and vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

<sup>•</sup> Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
<ul> <li>· 14.1 UN number or ID number</li> <li>· ADR/RID/ADN, ADN, IMDG, IATA</li> </ul>	Not applicable
<ul> <li>· 14.2 UN proper shipping name</li> <li>· ADR/RID/ADN, ADN, IMDG, IATA</li> </ul>	Not applicable
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Not applicable
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Not applicable
<ul> <li>· 14.5 Environmental hazards:</li> <li>· Marine pollutant:</li> </ul>	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Maritime transport in bulk according to IN instruments	AO Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
	(Contd. on page 8



Page 8/8

# Safety Data Sheet according to UK REACH (SI 2020/1577) as amended

Printing date 02.07.2025

Version number 3 (replaces version 2)

Revision: 02.07.2025

(Contd. of page 7)

#### Trade name: 50X TAE

· UN "Model Regulation":

Not applicable

# **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Poisons Act

· Regulated explosives precursors

None of the ingredients are listed.

# · Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

None of the ingredients are listed.

· Control Of Major Accident Hazards Regulations 2015 (COMAH)

- · Named dangerous substances ANNEX I None of the ingredients are listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

H226 Flammable liquid and vapour.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Department issuing SDS: Product safety department.

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 3: Flammable liquids - Category 3

Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

• \* Data compared to the previous version altered.