

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 24.10.2025

Version number 1

Revision: 24.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· **Trade name: Phenol Solution (Equilibrated with 10mM Tris HCl pH 8.0 with 1mM EDTA)**

· **Product Code:** 40-1011

· **Registration number** Mixture

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Product category** PC21 Laboratory chemicals

· **Application of the substance / the mixture** Laboratory chemicals

· **Uses advised against**

Any use not specified above.

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Any use involving aerosol formation or vapour release in excess of the assigned Workplace Exposure Limit where workers are exposed without suitable Respiratory Protective Equipment.

Processes involving extreme heat use advised against.

Processes involving the use of incompatible substances - refer to section 10.

Processes where workers who may be pregnant or breastfeeding could potentially come into direct contact with the undiluted product.

The product is strictly intended for industrial or professional use only.

· **1.3 Details of the supplier of the safety data sheet**

· **Supplier:**

Severn Biotech Ltd.

Unit 2,

Park Lane,

Kidderminster,

Worcestershire.

DY11 6TJ

UK

Tel: 0044 1562 825286

Fax: 0044 1562 825284

email: info@severnbiotech.com

· **Further information obtainable from:** Product safety department.

· **1.4 Emergency telephone number:**

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to GB-CLP**

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Muta. 2 H341 Suspected of causing genetic defects.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)

— GB —

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 24.10.2025

Version number 1

Revision: 24.10.2025

Trade name: Phenol Solution (Equilibrated with 10mM Tris HCl pH 8.0 with 1mM EDTA)

(Contd. of page 1)

- **2.2 Label elements**
- **Labelling according to GB-CLP** The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



- **Signal word** Danger
- **Hazard-determining components of labelling:**
phenol
- **Hazard statements**
 - H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.
 - H314 Causes severe skin burns and eye damage.
 - H341 Suspected of causing genetic defects.
 - H373 May cause damage to organs through prolonged or repeated exposure.
 - H411 Toxic to aquatic life with long lasting effects.
- **Precautionary statements**
 - P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 - P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P361+P364 Take off immediately all contaminated clothing and wash it before reuse.
 - P405 Store locked up.
 - P501 Dispose of contents/container in accordance with local regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 108-95-2 EINECS: 203-632-7 Index number: 604-001-00-2 Reg.nr.: 01-2119471329-32-XXXX	phenol ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ⚠ Muta. 2, H341; STOT RE 2, H373; ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Chronic 2, H411 ATE: LD50 oral: 100.1 mg/kg LC50/4 h inhalative: 0.51 mg/l Specific concentration limits: Skin Corr. 1B; H314: C ≥ 3 % Skin Irrit. 2; H315: 1 % ≤ C < 3 % Eye Irrit. 2; H319: 1 % ≤ C < 3 %	50 – 100%
--	---	-----------

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

— GB —

(Contd. on page 3)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 24.10.2025

Version number 1

Revision: 24.10.2025

Trade name: Phenol Solution (Equilibrated with 10mM Tris HCl pH 8.0 with 1mM EDTA)

(Contd. of page 2)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Personal protection for the First Aider.

Keep polyethylene glycol (Lutrol) and Ambubag available for first aider use.

In all cases of significant exposure the patient should be transferred to a hospital as soon as possible.

· **After inhalation:**

In case of inhalation:

- Provide fresh air.

- In case of breathing difficulties administer oxygen.

- No mouth-to-mouth or mouth-to-nose resuscitation. Use respiratory bag or oxygen resuscitation apparatus.

- Do not leave patient unattended.

Seek immediate medical advice.

· **After skin contact:**

Continuously rinse the affected parts of the body with polyethylene glycol (e.g. Lutrol) or with plenty of water, followed by washing with olive oil or edible oil (to remove the phenol component).

Take to a hospital immediately.

· **After eye contact:**

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Drink plenty of water and provide fresh air. Call for a doctor immediately.

In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

· **Information for doctor:**

Contains PHENOL.

Treatment:

Thoroughly clean the wetted skin areas, if possible with polyethylene glycol (e.g. polyethylene glycol 300).

In case of eye contact, rinse copiously with water, in case of burns rinse continuously with water as far as possible and take to an eye specialist or eye clinic.

In case of inhalation, to prevent pulmonary oedema, initiate inhalative cortisone therapy as early as possible (e.g. every 10 minutes 5 strokes of a cortisone containing aerosol dosing spray); administer codeine against dry coughing.

In case of commencing or manifested pulmonary oedema, systemic administration of cortisone.

Caution: A low symptom or symptom-free interval is possible.

If swallowed, gastric lavage after intubation, activated charcoal, saline laxative.

No specific antidote therapy for phenol poisoning is known. Therefore it is important to remove the phenol completely from the body surface and out of the body as quickly as possible, and in the case of inhalation prophylactic treatment to prevent pulmonal oedema is of great importance.

Phenol causes strong caustic burns of the skin and mucous membranes due to its protein degenerating action. The skin initially discolours white, later red. After initial pain, local anaesthesia appears.

Absorptive poisoning by large amounts of phenol is possible also through small affected skin regions and quickly leads to paralysis of the central nervous system as well as strong depression of the body temperature.

Inhaling phenol vapours can lead to damage of the bronchial system and pulmonary oedema. Systemic damage to kidneys, liver and heart as well as neuropsychiatric disturbances are produced.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 4)

Safety Data Sheet
according to UK REACH (SI 2020/1577) as amended

Printing date 24.10.2025

Version number 1

Revision: 24.10.2025

Trade name: Phenol Solution (Equilibrated with 10mM Tris HCl pH 8.0 with 1mM EDTA)

(Contd. of page 3)

- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
Corrosive liquid.
Toxic.
Combustible
In case of fire, the following can be released:
Carbon monoxide and carbon dioxide
Nitrogen oxides (NO_x)
Hydrogen chloride (HCl)
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear fully protective suit.
Wear self-contained respiratory protective device.
Do not inhale explosion gases or combustion gases.
Decontaminate protective clothing prior to removal.
- **Additional information**
Absorb gas/vapours with water spray.
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Wear protective equipment. Keep unprotected persons away.
Remove persons from danger area.
- **6.2 Environmental precautions:**
Do not allow to penetrate the ground/soil.
Do not allow to enter sewers/ surface or ground water.
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:**
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Contaminated absorbent material may pose the same hazard as the spilt product.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

— GB —

(Contd. on page 5)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 24.10.2025

Version number 1

Revision: 24.10.2025

Trade name: Phenol Solution (Equilibrated with 10mM Tris HCl pH 8.0 with 1mM EDTA)

(Contd. of page 4)

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**

Restrict the quantity stored at the work place.

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Safety showers and eye wash facilities should be available at the work area.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

The product must only be handled by authorised, trained and experienced professionals under strictly controlled conditions.

A first-aidier must be in attendance whilst this product is being handled.

All area first-aidiers must have been provided with specialist training in the treatment required for potential incidents involving this product.

- **Information about fire - and explosion protection:** No special measures required.

- **7.2 Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Prevent any seepage into the ground.

Store only in the original receptacle.

- **Information about storage in one common storage facility:**

Store away from oxidising agents.

Store away from foodstuffs.

- **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Store under lock and key and with access restricted to technical experts or their assistants only.

- **Storage class:** 6.1 B

- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

CAS: 108-95-2 phenol

WEL	Short-term value: 16 mg/m ³ , 4 ppm
	Long-term value: 7.8 mg/m ³ , 2 ppm
Sk	

- **DNELs**

CAS: 108-95-2 phenol

Oral	Long-term systemic effects	500 µg/kg bw/day (general population)
Dermal	Long-term systemic effects	0.5 mg/kg bw/day (general population) 1.23 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	0.452 mg/m ³ (general population) 8 mg/m ³ (worker)
	Short-term local effects	16 mg/m ³ (worker)

(Contd. on page 6)

Safety Data Sheet according to UK REACH (SI 2020/1577) as amended

Printing date 24.10.2025

Version number 1

Revision: 24.10.2025

Trade name: Phenol Solution (Equilibrated with 10mM Tris HCl pH 8.0 with 1mM EDTA)

(Contd. of page 5)

· PNECs	
CAS: 108-95-2 phenol	
Freshwater	7.7 µg/L
Freshwater - Intermittent releases	31 µg/L
Marine water	770 ng/L
Sewage Treatment Plant	2.1 mg/L
Sediment (freshwater)	91.5 µg/kg
Sediment (marine water)	9.15 µg/kg
Soil	136 µg/kg

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Pregnant women should strictly avoid inhalation or skin contact.

Do not eat, drink, smoke or sniff while working.

Storing food in the working area is prohibited.

Ensure that washing facilities are available at the work place.

A safe system of work must be formulated and followed to ensure safe working with this product. Relevant workers must receive suitable and sufficient training and supervision.

Ensure that eyewash stations and safety showers are close to the workstation location.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Depending on the degree of exposure, periodic medical examination is suggested.

· **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Filter type ABEK

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

· **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

Break-through time: > 480 minutes

(Contd. on page 7)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 24.10.2025

Version number 1

Revision: 24.10.2025

Trade name: Phenol Solution (Equilibrated with 10mM Tris HCl pH 8.0 with 1mM EDTA)

(Contd. of page 6)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Face shield/visor.

Use equipment tested and approved under appropriate government standards such as EN166 (EU) or NIOSH (US)



Tightly sealed goggles conforming to EN166.

Use visor in combination with goggles.

· **Body protection:**



Impervious protective clothing

Do not get on skin or clothing. Wear clothing and footwear that cannot be penetrated by the product. Suitable protective equipment may include: Chemical resistant boots, Chemical resistant apron, Full chemical protective suit with a hood, Chemical protective suit consisting of a jacket and trousers. The jacket should be buttoned up to the neck, sleeves sealed at the gloves, and trouser legs worn outside the boots. These precautions are required to prevent the clothing from accidentally trapping product against the skin.

· **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

· **Risk management measures**

The operators shall be instructed adequately.

The workplace shall be inspected regularly by competent personnel e.g. the safety representative.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· Physical state	Liquid
· Colour:	Clear
· Odour:	Characteristic
· Odour threshold:	0.04ppm
· Melting point/freezing point:	15 °C
· Boiling point or initial boiling point and boiling range	100 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	> 250 °C
· Decomposition temperature:	Not determined.
· pH at 20 °C	8
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.

(Contd. on page 8)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 24.10.2025

Version number 1

Revision: 24.10.2025

Trade name: Phenol Solution (Equilibrated with 10mM Tris HCl pH 8.0 with 1mM EDTA)

(Contd. of page 7)

· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density and/or relative density	
· Density at 20 °C:	1.056 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	NOTE: The physical data presented above are typical values and should not be construed as a specification.
· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· VOC (EC)	80.00 %
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	Not applicable

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**
Reacts violently with oxidising agents.
Reacts with Friedel-Crafts catalysts.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:**
Strong acids and oxidising agents
Strong bases.
Aldehydes
Isocyanate
Substances specifically listed in section 10.3 as incompatible.
- **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Hydrogen chloride (HCl)

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**
Toxic if swallowed, in contact with skin or if inhaled.

(Contd. on page 9)

— GB —

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 24.10.2025

Version number 1

Revision: 24.10.2025

Trade name: Phenol Solution (Equilibrated with 10mM Tris HCl pH 8.0 with 1mM EDTA)

(Contd. of page 8)

· LD/LC50 values relevant for classification:		
ATE (Acute Toxicity Estimates)		
Oral	LD50	125.13 mg/kg (ATE)
Dermal	LD50	825 mg/kg (rat)
Inhalative	LC50/4 h	0.625 mg/l

CAS: 108-95-2 phenol		
Oral	LD50	100.1 mg/kg (ATE)
Dermal	LD50	660 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity**
Suspected of causing genetic defects.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**
May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:**
EFFECTS OF LONG-TERM OR REPEATED EXPOSURE: The substance may have effects on the liver and kidneys.
- **Additional toxicological information:**
ROUTES OF EXPOSURE: Serious local effects by all routes of exposure.
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.
Inhalation may cause lung oedema, but only after initial corrosive effects on eyes and/or airways have become manifest. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Immediate administration of an appropriate inhalation therapy by a doctor or a person authorized by him/her, should be considered.

· 11.2 Information on other hazards
· Endocrine disrupting properties
None of the ingredients are listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
 - **Aquatic toxicity:**
- | | |
|-----------------------------|---------------------|
| CAS: 108-95-2 phenol | |
| EC50 (96 h) | 3.1 mg/l (Bacteria) |
- **12.2 Persistence and degradability** No further relevant information available.
 - **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.
 - **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 10)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 24.10.2025

Version number 1

Revision: 24.10.2025

Trade name: Phenol Solution (Equilibrated with 10mM Tris HCl pH 8.0 with 1mM EDTA)

(Contd. of page 9)

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
 Must not reach sewage water or drainage ditch undiluted or unneutralised.
 Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
 Do not allow product to reach ground water, water course or sewage system.
 Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
 Recommended Hierarchy of Controls:
 - Minimise waste;
 - Reuse if not contaminated;
 - Recycle, if possible; or
 - Safe disposal (if all else fails).
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.
 Contact waste processors for recycling information.
 Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- **UK List of Waste**

16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 05 00	gases in pressure containers and discarded chemicals
16 05 06*	laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

- **Uncleaned packaging:**
- **Recommendation:**
 Do not reuse empty containers - dispose of in accordance with the regulations issued by the appropriate local authorities.
 Container remains hazardous when empty. Continue to observe all precautions.
 Do not mix with other waste streams.
 Containers, even those that are "empty," may contain residues that can develop flammable vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR, IMDG, IATA** UN2821
- **14.2 UN proper shipping name**
- **ADR** UN2821 PHENOL SOLUTION, ENVIRONMENTALLY HAZARDOUS
- **IMDG, IATA** PHENOL SOLUTION

(Contd. on page 11)

—GB—

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 24.10.2025

Version number 1

Revision: 24.10.2025

Trade name: Phenol Solution (Equilibrated with 10mM Tris HCl pH 8.0 with 1mM EDTA)

(Contd. of page 10)

<ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR 	
<ul style="list-style-type: none"> · Class · Label 	6.1 (T1) Toxic substances. 6.1
<ul style="list-style-type: none"> · IMDG 	
<ul style="list-style-type: none"> · Class · Label 	6.1 Toxic substances. 6.1
<ul style="list-style-type: none"> · IATA 	
<ul style="list-style-type: none"> · Class · Label 	6.1 Toxic substances. 6.1
<ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA 	
	II
<ul style="list-style-type: none"> · 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR): 	
	Symbol (fish and tree)
	Symbol (fish and tree)
<ul style="list-style-type: none"> · 14.6 Special precautions for user · Hazard identification number (Kemler code): · Emergency Action Code: · EMS Number: · Stowage Category 	
	Warning: Toxic substances.
	60
	2X
	F-A,S-A
	A
<ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments 	
	Not applicable.
<ul style="list-style-type: none"> · Transport/Additional information: 	
	Amounts up to 5kg or 5L per single or inner package do not require the Environmentally Hazardous mark in accordance with ADR 5.2.1.8.1 and IMDG 2.10.2.7.
<ul style="list-style-type: none"> · ADR · Limited quantities (LQ) · Excepted quantities (EQ) 	
	100 ml
	Code: E4
	Maximum net quantity per inner packaging: 1 ml
	Maximum net quantity per outer packaging: 500 ml
<ul style="list-style-type: none"> · Transport category · Tunnel restriction code 	
	2
	D/E

(Contd. on page 12)

— GB —

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 24.10.2025

Version number 1

Revision: 24.10.2025

Trade name: Phenol Solution (Equilibrated with 10mM Tris HCl pH 8.0 with 1mM EDTA)

(Contd. of page 11)

· IMDG	
· Limited quantities (LQ)	100 ml
· Excepted quantities (EQ)	Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2821 PHENOL SOLUTION, 6.1, II, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

- **Regulated explosives precursors**

None of the ingredients are listed.

- **Regulated poisons**

CAS: 108-95-2 phenol

Listed

- **Reportable explosives precursors**

None of the ingredients are listed.

- **Reportable poisons**

CAS: 108-95-2 phenol

Listed

- **Control Of Major Accident Hazards Regulations 2015 (COMAH)**
- **Named dangerous substances - ANNEX I** None of the ingredients are listed.
- **COMAH category**
H2
E2
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Relevant phrases**

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 13)

Safety Data Sheet
according to UK REACH (SI 2020/1577) as amended

Printing date 24.10.2025

Version number 1

Revision: 24.10.2025

Trade name: Phenol Solution (Equilibrated with 10mM Tris HCl pH 8.0 with 1mM EDTA)

(Contd. of page 12)

· **Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· **Department issuing SDS:** Product safety department.

· **Abbreviations and acronyms:**

UK- REACH: The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

GB- CLP: Retained GB CLP Regulation (EU) No. 1272/2008 as amended for Great Britain on the Classification, Labelling and Packaging of Chemicals.

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Muta. 2: Germ cell mutagenicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2